




東莞漫亞
五金製品有限公司
Dongguan Manya
Hardware Products Company Limited




U-Channel


21SH



41SH




62SH




Manufacturer	Manya
Description	U-Channel
Material	2.5/43A Metal Sheet
B.S. Standard	BS 729
Joining Method	Welding
Tolerance	$\pm 0.8\text{mm}$


21SN



41SN



62SN



Manufacturer	Manya
Description	U-Channel
Material	2.5/43A Metal Sheet
Thickness	2.5mm
Zinc Coating Mass	Not Less than 41 μm
Length	6M

U-Channel Accessories

Long & Short Spring Nut



Manya Product Code	Standard Size	
	Nut	
Ns-06	Ss-06	6mm
Ns-08		8mm
Ns-10	Ss-10	10mm
Ns-12		12mm



U-Channel Testing Report

MYG-21SH

Hong Kong Standards and Testing Centre
TEST REPORT
Page 1 of 4

Date : 2004-11-22
No. : HC155827

Applicant(Code:MY001) : Many Steel Products manufactory
Laghu Industrial Zone
Qiongzhou Town
Dongguan City
Guangdong Province PRC

Description of Samples : One submitted sample said to be M.Y.G. 21SH 21 x 41 mm "U" Channel.

Date Samples Received : 2004-08-31

Date Tested : 2004-09-01 to 2004-09-15

Investigation Requested : 1. Slip Load Test of M10 Grade 4.8 steel bolt
2. Pull Out Test of M10 Grade 4.8 steel bolt

Method(s) Used : BS 6946 : 1988 (Refer to Appendix for the test set-up)

Anne Chiu, CFD
For Chief Executive

This report shall not be reproduced unless with prior written approval from the Hong Kong Standards and Testing Centre.

香港標準及檢定中心
10 Dai Wang Street, Taiipo Industrial Estate, N. T., Hong Kong
Tel: (852) 2666 1888 Fax: (852) 2664 4353 Homepage: www.hkstdc.org E-mail: hkstdc@hkstdc.org
For full text of "Conditions of Issuance of Test Reports", please refer to website or refer to the website of
STC: www.hkstdc.org (the section "Application and Quotation").

MYG-41SH

Hong Kong Standards and Testing Centre
TEST REPORT
Page 1 of 4

Date : 2004-11-22
No. : HC155827

Applicant(Code:MY001) : Many Steel Products manufactory
Laghu Industrial Zone
Qiongzhou Town
Dongguan City
Guangdong Province PRC

Description of Samples : One submitted sample said to be M.Y.G. 41SH 41 x 41 mm "U" Shape Framing Channel.

Date Samples Received : 2004-08-03 and 2004-09-13

Date Tested : 2004-09-01 to 2004-09-15

Investigation Requested : 1. Slip Load Test of M10 Grade 4.8 steel bolt
2. Pull Out Test of M10 Grade 4.8 steel bolt

Method(s) Used : BS 6946 : 1988 (Refer to Appendix for the test set-up)

Anne Chiu, CFD
For Chief Executive

This report shall not be reproduced unless with prior written approval from the Hong Kong Standards and Testing Centre.

香港標準及檢定中心
10 Dai Wang Street, Taiipo Industrial Estate, N. T., Hong Kong
Tel: (852) 2666 1888 Fax: (852) 2664 4353 Homepage: www.hkstdc.org E-mail: hkstdc@hkstdc.org
For full text of "Conditions of Issuance of Test Reports", please refer to website or refer to the website of
STC: www.hkstdc.org (the section "Application and Quotation").

MYG-62SH

The Hong Kong Standards and Testing Centre Ltd.
TEST REPORT
Page 1 of 2

Date : 2004-09-22
No. : HC155825

Applicant(Code:MY001) : Many Steel Products manufactory
Laghu Industrial Zone
Qiongzhou Town
Dongguan City
Guangdong Province PRC

Description of Samples : One submitted sample said to be M.Y.G. 62SH 62 x 41 mm "U" Shape Framing Channel.

Date Samples Received : 2004-08-03 and 2004-09-13

Date Tested : 2004-09-01 to 2004-09-15

Investigation Requested : 1. Slip Load Test of M10 Grade 4.8 steel bolt
2. Pull Out Test of M10 Grade 4.8 steel bolt

Method(s) Used : BS 6946 : 1988

Anne Chiu, CFD
For Chief Executive

This report shall not be reproduced unless with prior written approval from the Hong Kong Standards and Testing Centre.

香港標準及檢定中心
10 Dai Wang Street, Taiipo Industrial Estate, N. T., Hong Kong
Tel: (852) 2666 1888 Fax: (852) 2664 4353 Homepage: www.hkstdc.org E-mail: hkstdc@hkstdc.org
For full text of "Conditions of Issuance of Test Reports", please refer to website or refer to the website of
STC: www.hkstdc.org (the section "Application and Quotation").

Testing Appendix #1

Hong Kong Standards and Testing Centre
TEST REPORT
Page 4 of 4

Date : 2004-11-22
No. : HC155827

Slip Load test of Galvanized steel channel with spring nut & steel bolt

***** End of Test Report *****

香港標準及檢定中心
10 Dai Wang Street, Taiipo Industrial Estate, N. T., Hong Kong
Tel: (852) 2666 1888 Fax: (852) 2664 4353 Homepage: www.hkstdc.org E-mail: hkstdc@hkstdc.org
For full text of "Conditions of Issuance of Test Reports", please refer to website or refer to the website of
STC: www.hkstdc.org (the section "Application and Quotation").

Testing Appendix #2

Hong Kong Standards and Testing Centre
TEST REPORT
Page 3 of 4

Date : 2004-11-22
No. : HC155827

Pull Out test of Galvanized steel channel with spring nut & steel bolt

香港標準及檢定中心
10 Dai Wang Street, Taiipo Industrial Estate, N. T., Hong Kong
Tel: (852) 2666 1888 Fax: (852) 2664 4353 Homepage: www.hkstdc.org E-mail: hkstdc@hkstdc.org
For full text of "Conditions of Issuance of Test Reports", please refer to website or refer to the website of
STC: www.hkstdc.org (the section "Application and Quotation").




東莞漫亞
五金製品有限公司
Dongguan Manya
Hardware Products Company Limited



U-Channel

MYG-41SH



MYG21SH

Model No.	Materials		Mild Steel Thickness		Zinc Coating Mass		Total Length	
MYG21SH	43A		2.5mm		Not Less than 41µm		6m	
Label	A	B	C	D	E	F	G	H
Dimension	21mm	15mm	41mm	7mm	29mm	10mm	6m	21mm

MYG-41SH

Model No.	Materials		Mild Steel Thickness		Zinc Coating Mass		Total Length	
MYG41SH	43A		2.5mm		Not Less than 41µm		6m	
Label	A	B	C	D	E	F	G	H
Dimension	21mm	15mm	41mm	7mm	29mm	10mm	6m	41mm

MYG-62SH

Model No.	Materials		Mild Steel Thickness		Zinc Coating Mass		Total Length	
MYG62SH	43A		2.5mm		Not Less than 41µm		6m	
Label	A	B	C	D	E	F	G	H
Dimension	21mm	15mm	41mm	7mm	29mm	10mm	6m	62mm

Manufacturer	MYG
Description	U-Channel
Material	2.5/43A Metal Sheet
B.S. Standard	BS 729
Jointing Method	Welding
Tolerance	±0.8mm